

RENCANA PELAKSANAAN PEMBELAJARAN

Sekolah : SMPN 1 Diwek
Mata Pelajaran : Bahasa Inggris
Kelas /Semester : IX / 1
Materi pokok : label obat
Alokasi Waktu : 2 X 40 menit

A. Kompetensi Dasar

- 3.3 Membandingkan fungsi sosial, struktur teks, dan unsur kebahasaan beberapa teks khusus dalam bentuk label, dengan meminta dan memberi informasi terkait obat /makanan / minuman sesuai dengan konteks penggunaannya.
- 4.3 Menangkap makna secara kontekstual terkait dengan fungsi sosial, struktur teks, dan unsur kebahasaan teks khusus dalam bentuk label pendek sederhana terkait obat /makanan / minuman

B. Tujuan Pembelajaran


Pada akhir pembelajaran peserta didik dapat memahami dan menggunakan unsur kebahasaan , struktur teks dan fungsi kebahasaan pada label obat dan menganalisa fakta – fakta yang ada pada label obat sehingga mendapatkan hasil yang terbaik.

C. Langkah – Langkah kegiatan Pembelajaran

1. Kegiatan Pendahuluan
 - Guru memberi salam.
 - Guru mengajak berdoa.
 - Guru mengecek kehadiran.
 - Guru mengecek kesiapan baik fisik dan psikis peserta didik.
 - Guru menyampaikan topik yang akan dipelajari.
 - Guru menyampaikan tujuan pembelajaran dan manfaat
 - Guru rangkaian kegiatan pembelajaran.
 - Guru menyampaikan rencana penilaian.
2. Kegiatan Inti
 - Peserta didik mengamati berbagai macam label obat yang dibawa guru.
 - Peserta didik menjawab pertanyaan kaitannya dengan label obat.(task 1)
 - Peserta didik mengidentifikasi fakta – fakta tentang label obat/bagian dari label obat (task 2)
 - Peserta didik mengamati contoh label yang diberikan oleh guru.

4	Student does the assignment / task						4 = good
5	Student participate in group						5 = very good
Total							

b. Penilaian Pengetahuan
Kisi – Kisi dan Soal

IPK	Indikator soal	soal	Teknik																												
3.3.1	Disajikan sebuah label obat, peserta didik mampu menemukan fungsi sosial dari label obat dengan benar.	 <p>1. What kind of label is it? 2. Why should we pay attention to read the label? 3. What symptom can be relieved by this medicine?</p>	Penugasan																												
3.3.2	Disajikan label obat, peserta didik mampu menggunakan struktur teks berbentuk label obat dengan benar.	<table border="1" data-bbox="701 1234 1269 1780"> <tr> <th colspan="2">Drug Facts</th> </tr> <tr> <th>Active Ingredient (in each tablet)</th> <th>Purpose</th> </tr> <tr> <td>Pseudoephedrine HCL 30 mg.....</td> <td>Nasal Decongestant</td> </tr> <tr> <td colspan="2">Uses temporarily relieves nasal congestion due to</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ common cold ■ respiratory allergies </td> </tr> <tr> <td colspan="2">Warnings</td> </tr> <tr> <td colspan="2">Ask a doctor before use if you have</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ high blood pressure ■ heart disease ■ thyroid disease ■ diabetes </td> </tr> <tr> <td colspan="2">When using this product</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ do not use more than directed ■ Stop use and ask a doctor if you get nervous, dizzy or sleepless </td> </tr> <tr> <td colspan="2">Directions</td> </tr> <tr> <td>Adults and children 12 and over</td> <td>take 2 tablets every 4 to 6 hours not more than 4 doses in 24 hours</td> </tr> <tr> <td>Children 6 years to under 12 years</td> <td>take 1 tablet every 4 to 6 hours not more than 4 doses in 24 hours</td> </tr> <tr> <td>Children under 6 years</td> <td>ask a doctor</td> </tr> </table> <p>4. What active ingredient is in this medicine? 5. What are side effects of this medicine?</p>	Drug Facts		Active Ingredient (in each tablet)	Purpose	Pseudoephedrine HCL 30 mg.....	Nasal Decongestant	Uses temporarily relieves nasal congestion due to		<ul style="list-style-type: none"> ■ common cold ■ respiratory allergies 		Warnings		Ask a doctor before use if you have		<ul style="list-style-type: none"> ■ high blood pressure ■ heart disease ■ thyroid disease ■ diabetes 		When using this product		<ul style="list-style-type: none"> ■ do not use more than directed ■ Stop use and ask a doctor if you get nervous, dizzy or sleepless 		Directions		Adults and children 12 and over	take 2 tablets every 4 to 6 hours not more than 4 doses in 24 hours	Children 6 years to under 12 years	take 1 tablet every 4 to 6 hours not more than 4 doses in 24 hours	Children under 6 years	ask a doctor	
Drug Facts																															
Active Ingredient (in each tablet)	Purpose																														
Pseudoephedrine HCL 30 mg.....	Nasal Decongestant																														
Uses temporarily relieves nasal congestion due to																															
<ul style="list-style-type: none"> ■ common cold ■ respiratory allergies 																															
Warnings																															
Ask a doctor before use if you have																															
<ul style="list-style-type: none"> ■ high blood pressure ■ heart disease ■ thyroid disease ■ diabetes 																															
When using this product																															
<ul style="list-style-type: none"> ■ do not use more than directed ■ Stop use and ask a doctor if you get nervous, dizzy or sleepless 																															
Directions																															
Adults and children 12 and over	take 2 tablets every 4 to 6 hours not more than 4 doses in 24 hours																														
Children 6 years to under 12 years	take 1 tablet every 4 to 6 hours not more than 4 doses in 24 hours																														
Children under 6 years	ask a doctor																														

4.3.1	Ketrampilan Disajikan label obat, peserta didik mampu mengidentifikasi fakta-fakta pada label untuk melengkapi tabel dengan benar.	<p>6. Who must ask to the doctor before using this medicine?</p> <p>7. How many tablets should children 6 years take in one day?</p> <p>8. You have a brother. He has high blood pressure. Do you think he can take the medicine directly? Give your reason.</p> <p>Complete the table below.</p> <table border="1" data-bbox="691 527 1284 968"> <thead> <tr> <th>No</th> <th>FACTS</th> <th>STATEMENTS</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Name of drug</td> <td></td> </tr> <tr> <td>2</td> <td>Form of drug</td> <td></td> </tr> <tr> <td>3</td> <td>Amount/content</td> <td></td> </tr> <tr> <td>4</td> <td>Use/indication</td> <td></td> </tr> <tr> <td>5</td> <td>Direction to use and dosage</td> <td></td> </tr> <tr> <td>6</td> <td>Direction to store</td> <td></td> </tr> <tr> <td>7</td> <td>Expired date</td> <td></td> </tr> <tr> <td>8</td> <td>Active ingredients</td> <td></td> </tr> </tbody> </table>	No	FACTS	STATEMENTS	1	Name of drug		2	Form of drug		3	Amount/content		4	Use/indication		5	Direction to use and dosage		6	Direction to store		7	Expired date		8	Active ingredients		
No	FACTS	STATEMENTS																												
1	Name of drug																													
2	Form of drug																													
3	Amount/content																													
4	Use/indication																													
5	Direction to use and dosage																													
6	Direction to store																													
7	Expired date																													
8	Active ingredients																													

1. Kunci Jawaban

1. Label of drug
2. To choose safe product, avoid harmful effect and to get the best result
3. Cough and bronchial
4. Pseodeopedrine Hcl 30 mg
5. Nervous, dizzy and sleepless
6. Someone who has high blood pressure, diabetes, thyroid, and hearth desease
7. 4 tablets
8. No, he can't. He should ask the doctor first.

Skor : $\frac{\text{skor perolehan} \times 100}{\text{Skor maksimal}}$

c. Penilaian ketrampilan: proyek

Rubrik Penilaian

Ketrampilan menulis (proyek menuliskan semua informasi pada label pada tabel)

Aspek yang dinilai	kriteria	skor
Kesesuaian fakta yang ada pada label	Lengkap dan tepat	5
	Lengkap tapi kurang tepat	4
	Kurang lengkap dan kurang tepat	3
	Tidak lengkap dan tidak tepat	2
Penulisan kosa kata	Tepat tidak ada kesalahan	5
	Cukup tepat ada 2 -3 kesalahan	4

	Kurang tepat ada 4-5 kesalahan	3
	Tidak tepat ada lebih 6 kesalahan	2
Kerapian tulisan	Rapi dan mudah terbaca	5
	Tidak rapi tapi mudah terbaca	4
	Tidak rapi dan tidak mudah terbaca	3
	Tidak rapi dan tidak bisa terbaca	2

Skor = $\frac{\text{skor perolehan}}{\text{Skor maksimal}} \times 100$

Mengetahui
Kepala SMPN I Diwek

Diwek, 5 Januari 2022
Guru Mata Pelajaran

Drs. MUHLAS, M.Si
NIP 19620927 198803 1 004

YUNI ASTUTI, S.Pd
NIP 19760810 200012 2 00

LEMBAR KERJA SISWA

Task 1

1. What kind of label are they?
2. Do you know parts of drug label?
3. Can you mention them?

Task 2


Parts of Label

A good drug label should contain;

- Brand of product (merk)
- Name of product (nama)
- Description of product
- Content / amount (isi)
- Use / Indication / kegunaan
- Direction to use and dosage (cara penggunaan)
- Direction to store (cara penyimpanan)
- Expiration date (tanggal kadaluarsa)
- Active ingredients (kandungan active)

Task 3

Observe the drug label below.



The image shows a yellow rectangular drug label for PINUX. On the left side, there is a small illustration of human lungs in red. Above the illustration, the word "PINUX" is written in large, bold, black letters. Below the illustration, the text reads "Children's Cough Syrup" in bold, followed by "75 ml" in a slightly smaller font. At the bottom left of this section, it says "Exp date; 200621". To the right of the illustration, the text reads "Cough Mixture of formula 440 presented by PINUX". Below this, there is a paragraph: "It is a great tasting syrup to help control your child's cough while shooting his or her throat. It relieves dry cough. Use medicine according to physician's instructions." At the bottom right, there are two lines of text: "Keep it in moderate temperature" and "Keep away from children".

State whether the statement below is true or false

1. The content of the drug is seventy fours milliliters.
2. We may use the medicine directly.
3. The drug is used to relieve fever.
4. The drug is only for children.
5. Man can drink the drug.

Task 4

Observe the drug label again

No	Facts	Information
1	Name of medicine	Children's cough syrup
2	Form of medicine	Pinux
3	Uses	Relieves dry cough
4	Content / amount	75 ml
5	Direction to use and dosage	Use medicine according to physician's instructions
6	Direction to store	Keep in moderate temperature
7	Expiration date	200621
8	Active ingredients	Not available
9	Warning	Keep away from children

Task 5

Observe the drug label below to answer question no.1 to 2

1. What kind of label is it?
2. Why should we pay attention to read the label?
3. What symptom can be relieved by this medicine?



Drug Facts	
Active Ingredient (in each tablet)	Purpose
Pseudoephedrine HCL 30 mg.....	Nasal Decongestant
Uses temporarily relieves nasal congestion due to	
<ul style="list-style-type: none"> ■ common cold ■ respiratory allergies 	
Warnings	
Ask a doctor before use if you have	
<ul style="list-style-type: none"> ■ high blood pressure ■ heart disease ■ thyroid disease ■ diabetes 	
When using this product	
<ul style="list-style-type: none"> ■ do not use more than directed ■ Stop use and ask a doctor if you get nervous, dizzy or sleepless 	
Directions	
Adults and children 12 and over	take 2 tablets every 4 to 6 hours not more than 4 doses in 24 hours
Children 6 years to under 12 years	take 1 tablet every 4 to 6 hours not more than 4 doses in 24 hours
Children under 6 years	ask a doctor

4. What active ingredient is in this medicine?
5. What are side effects of this medicine?
6. Who must ask to the doctor before using this medicine?
7. How many tablets should children 6 years take in one day?
8. You have a brother. He has high blood pressure. Do you think he can take the medicine directly? Give your reason.

Task 6

Complete the table below based on the label above.

No	FACTS	STATEMENTS
1	Name of drug	
2	Form of drug	
3	Amount/content	
4	Use/indication	
5	Direction to use and dosage	
6	Direction to store	
7	Expired date	
8	Active ingredients	